



FortiGate® 1500D

High Performance Next Generation/Edge Firewall for the Enterprise



FortiGate 1500D

FortiGate 1500D and 1500D-DC

Every day you're on the lookout for sophisticated attacks designed to penetrate your organization and steal valuable information. At the same time, you need to increase network speeds and capacities to accommodate the proliferation of consumer-grade applications and devices. To adequately defend against threats across such a broad range of applications and devices — without slowing down your network — you need a high performance next generation/edge firewall (NGFW) appliance for deep inspection, visibility and control.

Breakthrough Performance

The FortiGate 1500D and 1500D-DC high performance next generation/edge firewalls deliver best-in-class performance with an exceptional 80 Gbps of firewall and 15 Gbps of next generation threat protection. Custom hardware, including the latest FortiASIC™ NP6 processors, and the consolidated security features of the FortiOS™ 5 network security platform make the difference in enabling protection of your applications and network without affecting availability or performance.

Features & Benefits

- Industry-leading 5x next generation firewall performance and 10x data center firewall
- NSS Labs Recommended NGFW and NGIPS delivers top-rated protection
- Integrated high port density delivers maximum flexibility and scalability
- Intuitive management interface enables broad and deep visibility and control
- Application control plus identity and device-based policy enforcement provides more granular protection



Highlights

Firewall Performance	IPS Performance	Interfaces
80 Gbps	15 Gbps	Multiple 10 GE SPF+, GE SFP and GE RJ45



HARDWARE

FortiGate 1500D and 1500D-DC



Interfaces

1. USB Management Port
2. Console Port
3. USB Port
4. 2x GE RJ45 Management Ports

5. 16x GE SFP Slots
6. 16x GE RJ45 Ports
7. 8x 10 GE SFP+ Slots



Powered by FortiASICs

- Custom FortiASIC™ processors deliver the power you need to detect malicious content at multi-Gigabit speeds
- Other security technologies cannot protect against today's wide range of content and connection-based threats because they rely on general-purpose CPUs, causing a dangerous performance gap
- FortiASIC processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Network Processor

Fortinet's new, breakthrough FortiASIC NP6 network processor works inline with FortiOS functions delivering:

- Superior firewall performance for IPv4/IPv6, SCTP and multicast traffic with ultra-low latency down to 3 microseconds
- VPN, CAPWAP and IP tunnel acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

Content Processor


The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

10 GE Connectivity

High speed connectivity is essential for network security segmentation at the core of data networks. The FortiGate 1500D and FG-1500D-DC provide high 10 GE port densities, simplifying network designs without relying on additional devices to bridge desired connectivity.

SOFTWARE



FortiOS Management UI —
FortiView, Policy Table and Application Control Panel

FortiOS

Control all the security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce operating expenses and save time with a truly consolidated next generation security platform.

- A truly consolidated platform with one OS for all security and networking services for all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives and ICSCA validated security and performance.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings.
- Detect, contain and block advanced attacks automatically in minutes with integrated advanced threat protection framework.
- Solve your networking needs with extensive routing, switching, WiFi, LAN and WAN capabilities.
- Activate all the ASIC-boosted capabilities you need on the fastest firewall platform available.



For more information, please refer to the FortiOS data sheet available at www.fortinet.com

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations, other network and security vendors, as well as law enforcement agencies:

- **Real-time Updates** — 24x7x365 Global Operations research security intelligence, distributed via Fortinet Distributed Network to all Fortinet platforms.
- **Security Research** — FortiGuard Labs have discovered over 170 unique zero-day vulnerabilities to date, totaling millions of automated signature updates monthly.
- **Validated Security Intelligence** — Based on FortiGuard intelligence, Fortinet's network security platform is tested and validated by the world's leading third-party testing labs and customers globally.



For more information, please refer to <http://forti.net/guard>

FortiCare™ Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East and Asia, FortiCare offers services to meet the needs of enterprises of all sizes:

- **Enhanced Support** — For customers who need support during local business hours only.
- **Comprehensive Support** — For customers who need around-the-clock mission critical support, including advanced exchange hardware replacement.
- **Premium Services** — For global or regional customers who need an assigned Technical Account Manager, enhanced service level agreements, extended software support, priority escalation, on-site visits and more.
- **Professional Services** — For customers with more complex security implementations that require architecture and design services, implementation and deployment services, operational services and more.



For more information, please refer to <http://forti.net/care>

SPECIFICATIONS

FORTIGATE 1500D and 1500D-DC	
Hardware Specifications	
Hardware Accelerated 10 GE SFP+ Slots	8
Hardware Accelerated GE SFP Slots	16
Hardware Accelerated GE RJ45 Ports	16
GE RJ45 Management / HA Ports	2
USB Ports (Client / Server)	1 / 1
Console Port	1
Onboard Storage	480 GB
Included Transceivers	2x SFP+ (SR 10GE)
System Performance	
IPv4 Firewall Throughput (1518 / 512 / 64 byte, UDP)	80 / 80 / 55 Gbps
IPv6 Firewall Throughput (1518 / 512 / 86 byte, UDP)	80 / 80 / 55 Gbps
Firewall Latency (64 byte, UDP)	3 µs
Firewall Throughput (Packet per Second)	82.5 Mpps
Concurrent Sessions (TCP)	12 Mil
New Sessions/Second (TCP)	300,000
Firewall Policies	100,000
IPsec VPN Throughput (512 byte)	50 Gbps
Gateway-to-Gateway IPsec VPN Tunnels	20,000
Client-to-Gateway IPsec VPN Tunnels	50,000
SSL-VPN Throughput	4 Gbps
Concurrent SSL-VPN Users (Recommended Maximum)	10,000
IPS Throughput (HTTP / Enterprise Mix)	15 / 13 Gbps
SSL Inspection Throughput	10.5 Gbps
NGFW Throughput	4.5 Gbps
CAPWAP Throughput	20 Gbps
Virtual Domains (Default / Maximum)	10 / 250
Maximum Number of FortiAPs (Total / Tunnel)	4,096 / 1,024
Maximum Number of FortiTokens	5,000
Maximum Number of Registered Endpoints	8,000
High Availability Configurations	Active-Active, Active-Passive, Clustering

ORDER INFORMATION

Product	SKU	Description
FortiGate 1500D	FG-1500D	8x 10 GE SFP+ slots, 16x GE SFP slots, 18x GE RJ45 ports (including 16x ports, 2x management/HA ports), FortiASIC NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, dual AC power supplies.
FortiGate 1500D-DC	FG-1500D-DC	8x 10 GE SFP+ slots, 16x GE SFP slots, 18x GE RJ45 ports (including 16x ports, 2x management/HA ports), FortiASIC NP6 and CP8 hardware accelerated, 480 GB SSD onboard storage, dual DC power supplies.
Optional Accessories		
1 GE SFP LX transceiver module	FG-TRAN-LX	1 GE SFP LX transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP RJ45 transceiver module	FG-TRAN-GC	1 GE SFP RJ45 transceiver module for all systems with SFP and SFP/SFP+ slots.
1 GE SFP SX transceiver module	FG-TRAN-SX	1 GE SFP SX transceiver module for all systems with SFP and SFP/SFP+ slots.
10 GE SFP+ transceiver module, short range	FG-TRAN-SFP+SR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ transceiver module, long range	FG-TRAN-SFP+LR	10 GE SFP+ transceiver module, long range for all systems with SFP+ and SFP/SFP+ slots.
10 GE SFP+ active direct attach cable, 10m / 32.8 ft	SP-CABLE-ADASFP+	10 GE SFP+ active direct attach cable, 10m / 32.8 ft for all systems with SFP+ and SFP/SFP+ slots.
Rack mount sliding rails	SP-FG3040B-RAIL	Rack mount sliding rails for FG-1000C/-DC, FG-1500D, FG-3040B/-DC, FG-3140B/-DC, FG-3240C/-DC, 3700D and 3950B/-DC.
AC power supply	SP-FG1240B-PS	AC power supply for FG-1200D, FG-1240B, FG-1500D, FG-1500DT, FG-3040B and FG-3140B.
DC power supply	SP-FG1500D-DC-PS	DC power supply for FG-1500D-DC.



GLOBAL HEADQUARTERS
Fortinet Inc.
899 Kifer Road
Sunnyvale, CA 94086
United States
Tel: +1.408.235.7700
www.fortinet.com/sales

EMEA SALES OFFICE
120 rue Albert Caquot
06560, Sophia Antipolis,
France
Tel: +33.4.8987.0510

APAC SALES OFFICE
300 Beach Road 20-01
The Concourse
Singapore 199555
Tel: +65.6513.3730

LATIN AMERICA SALES OFFICE
Prol. Paseo de la Reforma 115 Int. 702
Col. Lomas de Santa Fe,
C.P. 01219
Del. Alvaro Obregón
México D.F.
Tel: 011-52-(55) 5524-8480

Copyright© 2016 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary and may be significantly less effective than the metrics stated herein. Network variables, different network environments and other conditions may negatively affect performance results and other metrics stated herein. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet and any such commitment shall be limited by the disclaimers in this paragraph and other limitations in the written contract. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests, and in no event will Fortinet be responsible for events or issues that are outside of its reasonable control. Notwithstanding anything to the contrary, Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FORTIGATE 1500D and 1500D-DC	
Dimensions	
Height x Width x Length (inches)	3.5 x 17.24 x 21.81
Height x Width x Length (mm)	89 x 438 x 554
Weight	32.50 lbs (14.70 kg)
Form Factor	Rack Mount, 2 RU
Power	
AC Power Supply	100–240V AC, 47–63 Hz
DC Power Supply (FG-1500D-DC)	40.5–57V DC
Maximum Current	110V / 8A, 220V / 4A
Power Consumption (Average / Maximum)	338 / 406 W
Heat Dissipation	1,385 BTU/h
Redundant Power Supplies	Yes, Hot swappable
Environment	
Operating Temperature	32–104°F (0–40°C)
Storage Temperature	-31–158°F (-35–70°C)
Humidity	15–90% non-condensing
Operating Altitude	Up to 7,400 ft (2,250 m)
Compliance	
	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	
	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN

Note: All performance values are "up to" and vary depending on system configuration. IPsec VPN performance is based on 512 byte UDP packets using AES-256+SHA1. NGFW performance is measured with Flow AV (Quick Mode), IPS and Application Control enabled, based on Enterprise Traffic Mix. SSL Inspection is measured with IPS enabled and HTTP traffic, using TLS v1.2 with AES254-SHA. CAPWAP performance is based on 1444 byte UDP packets.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet.